



July 2010 Price Book

Web

www.neschenbrands.com



Table of Contents

Over-laminates

filmolux [®] photo	4
filmolux [®] lustre	4
filmolux [®] satin	4
filmomatt [®]	4
filmolux [®] UV-E	4
filmolux [®] 2004	4
filmotack [®] nippon	5
filmolux [®] PC	5
filmolux [®] PP gloss	5
filmolux [®] PP satin matte	5
filmolux [®] scratch	5

Adhesives

gudy [®] 802	6
gudy [®] 804	6
gudy [®] 808	6
gudy [®] 831	6
gudy [®] 909	6
gudy [®] eco	6
gudy [®] outdoor	7
gudy [®] wide	7
gudy [®] window	7

SAV's

SolvoPrint [™] ProGrip	7
SolvoPrint [™] SuperGrip	7
SolvoPrint [™] MightyGrip	7

Digital Print Media for Water-based Inks

Printex [™] Easy Banner Light	8
Printex [™] Easy Banner Heavy	8

Display Media

PrintLux [™] Easy Panel 310	8
PrintLux [™] Easy Panel 430	8
PrintLux [™] Nolite 350	8
SolvoPrint [™] Easy Panel 220	9
SolvoPrint [™] Easy Panel 310	9
SolvoPrint [™] Easy Panel 430	9
SolvoPrint [™] Paper 240 Satin	9
SolvoPrint [™] Daytona PVC Banner	9
SolvoPrint [™] Gotham PVC Blockout	9

Pure Color[™] Media Line

Golden Gate Fabric	10
VersaFabric [™]	10
Monet Canvas	10
Mambo Fabric	10
Calypso Breeze Satin	10
Apollo Flag [™]	10

Textile Accessories

Textiles - Solvent and UV Curable

SolvoTex [™] Artist 260	11
SolvoTex [™] Artist 310XC	11
SolvoTex [™] Artist Banner Light	11
SolvoTex [™] Artist Premium Light S	11
SolvoTex [™] Artist Premium Heavy S	12
SolvoTex [™] PES Banner 240	12
SolvoTex [™] Cotton Premium Light S	12
SolvoTex [™] Cotton Premium Heavy S	12
SolvoTex [™] Digital Sharkstooth	12

Table of Contents Continued

SolvoTex™ PES Flag Plus 2	13
SolvoTex™ TCS Flag Plus	13
SolvoTex™ TCS Voile Plus	13
SolvoTex™ PES Crystal Plus 1	13
SolvoTex™ Theatre 310 Plus	14
SolvoTex™ TCS 200 Plus 2	14
SolvoTex™ TCS 300 Plus 2	14
SolvoTex™ Samba Plus	14
SolvoTex™ Samba Light Box	14
SolvoTex™ Spinnaker 60 FR	14
SolvoTex™ No-Lite 335	15
SolvoTex™ No-Lite Double Poly	15
<u>PVC Flexface</u>	
SolvoTex™ PVC Premium FL	15
SolvoTex™ PVC Standard FL	15
SolvoTex™ PVC Black Back FL	15
SolvoTex™ PVC Premium BL	15
SolvoTex™ PVC Standard Blockout	16
SolvoTex™ PVC Supreme Mesh	16
<u>Textiles - Dye Sublimation</u>	
DirectTex™ Pro-Poplin	16
DirectTex™ Pro-Poplin Light	16
DirectTex™ Poplin Superior	16
DirectTex™ Knit Banner Light	17
DirectTex™ PES Flag 110	17
TransferTex™ PES Washed Flag	17
DirectTex™ Artist Light	17
DirectTex™ Satin Heavy	17
TransferTex™ TCS Knit Voile	17
<u>Liquid Coating Systems-UV</u>	
Accu-18XE	18
AccuCoat™ 1600	18
AccuCoat™ 3300	18
AccuCure™ 60 & 80 UV	18
<u>Liquid Coatings- Water Based</u>	
AccuLac™ 1100	19
AccuLac™ 1250	19
AccuLac™ 1400	19
UltraCoat® Fleet	19
UltraCoat® Giclee	19
UltraCoat® Interior	19
UltraCoat® Sign & Banner	19
<u>Liquid Coatings- UV</u>	
AccuCure™ Elite UV Fleet Gloss	20
AccuCure™ Elite UV Fleet Luster	20
AccuCure™ Elite UV Gloss	20
AccuCure™ Elite UV Satin Matte	20

Table of Contents Continued

PrimeX Banner Stands and Displays	
Roll Up ECON	20
Roll Up BASIC	20
SEAL Brand Products	
ProSEAL [®]	21
ProSEAL [®] Pouch Boards	21
ProSEAL [®] Mounting Board	21
ProSEAL [®] Clear Pouches	21
	21
US Domestic Training Fee Schedule and Service Rates	22
Consumables Special Cut Policy	22
Textiles & PVC Special Cut Policy	22
Terms & Conditions of Sale	23,24
100% Customer Satisfaction Guarantee	25

Inventory Classification System Key

"@" - 100% in stock guarantee.

"A" - We have finished rolls on the shelves and carry large safety stocks. Our stock of these items can generally be replenished within 24 hours and when these items are replenished, we put large amounts of stock on the shelf.

"B" - Depending on the product, we may or may not have finished rolls on the shelf or safety stocks in place. Call for availability.

"C" - These products are made to order.

* @ABC Class is subject to change without notice.

Over-laminates

filmolux® photo

filmolux photo is a 3.2 mil, premium grade, pressure-sensitive vinyl over-laminate with a glossy finish. It features UV absorbers that extend the life of your print, and a strong water-based acrylic adhesive that is ideal for short-term outdoor applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
25050300	25	150	C	\$ 145.00
31050300	31	150	C	\$ 174.00
38050300	38	150	B	\$ 213.00
41050300	41	150	C	\$ 230.00
51050300	51	150	A	\$ 286.00
54050300	54	150	C	\$ 302.00
61050300	61	150	B	\$ 342.00
6009264	79	164	C	\$ 699.00
S300	38	15	N/A	\$ 34.00

filmolux® satin

filmolux satin is a 3.2 mil, premium grade, pressure-sensitive vinyl over-laminate with a satin matte finish. It features UV absorbers to extend the life of your print as well as a strong water-based acrylic adhesive that is perfect for short-term outdoor applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
25050400	25	150	C	\$ 155.00
31050400	31	150	C	\$ 188.00
38050400	38	150	@	\$ 230.00
41050400	41	150	C	\$ 249.00
51050400	51	150	@	\$ 310.00
54050400	54	150	C	\$ 330.00
61050400	61	150	B	\$ 370.00
6009265	79	164	B	\$ 699.00
S400	38	15	N/A	\$ 34.00

filmolux® UV-E

This 1.0 mil, high-grade, semi-gloss, Tedlar® PVF film provides the highest UV protection available - blocking over 87% of UV-A rays - which can nearly triple the life of the print. Its unique surface is graffiti-resistant and impervious to harsh chemicals and cleaning agents. Great for strip-mall pylon signage and other long-term outdoor applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
6020664	55	164	B	\$ 1,219.00
S6020664	27.5	15	N/A	\$ 60.00

filmolux® lustre

filmolux lustre is a 3.2 mil, premium grade, pressure-sensitive vinyl over-laminate with a luster finish. It features UV absorbers to extend the life of your print and a strong water-based acrylic adhesive that are ideal for short-term outdoor applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
38050200	38	150	@	\$ 240.00
41050200	41	150	C	\$ 259.00
51050200	51	150	@	\$ 310.00
S200		15	N/A	\$ 34.00

filmomatt®

filmomatt is a 3.2 mil, premium grade, pressure-sensitive vinyl over-laminate with a matte finish. It features UV absorbers that extend the life of your print, and a strong water-based acrylic adhesive that makes it ideal for short-term outdoor applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
25050500	25	150	C	\$ 155.00
31050500	31	150	C	\$ 188.00
38050500	38	150	@	\$ 230.00
41050500	41	150	B	\$ 249.00
51050500	51	150	@	\$ 310.00
54050500	54	150	C	\$ 330.00
61050500	61	150	A	\$ 370.00
6014020	79	164	C	\$ 699.00
S500	38	15	N/A	\$ 34.00

filmolux® 2004

filmolux 2004 is a 2.0 mil, polypropylene over-laminate with a smooth, glossy finish that is well suited for creating write-on/wipe-off applications. Protect maps, calendars, court room displays, charts, menu boards, scoreboards and more with filmolux 2004.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
83004	38	150	B	\$ 240.00
83006	51	150	B	\$ 332.00
83001	38	15	N/A	\$ 29.00

Over-laminates Continued

filmotack® nippon

This 6 mil, vinyl over-laminate has a fine sand structure and a matte finish—making it scratch and slip resistant. It is best suited for indoor applications, such as pop-up trade show graphics, point-of-purchase displays, floor graphics and for protecting universal applications from heavy wear and fingerprints.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
83014	38	150	B	\$ 313.00
83016	51	150	B	\$ 409.00
83018	55	150	C	\$ 430.00
83019	61	150	C	\$ 488.00
83011	38	15	N/A	\$ 36.00

filmolux® PP gloss

filmolux PP gloss is an economical 3 mil cast polypropylene laminating film featuring a permanent, water-based acrylic adhesive. filmolux PP gloss is constructed with a cast film making it perfect for over-laminating self-adhesive vinyl as well as a wide variety of indoor applications exposed to indirect light.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
83024	38	150	B	\$ 148.00
83026	51	150	C	\$ 199.00
83021	38	15	N/A	\$ 32.00

filmolux® scratch

This premium 6 mil, polyester laminating film is designed for indoor display applications, and features a permanent, water-based, acrylic adhesive. This durable film's crystal-like texture protects display graphics from heavy wear and tear – making it an ideal choice for finishing flexible exhibit panels and point-of-sale displays. The satin finish also enhances color while reducing glare. Use filmolux scratch in combination with SolvoPrint™ or PrintLux™ media and an Expolinc® Pop Up Magnetic for a premium display system solution.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
63121	38	150	C	\$ 350.00
63123	43	150	C	\$ 419.00
63125	51	150	C	\$ 441.00
63120	38	15	N/A	\$ 37.00

filmolux® PC

This polycarbonate laminating film is one of our most durable. filmolux PC offers protection from UV rays, abrasion, moisture and exposure to other environmental factors. Its velvet-gloss, non-glare texture makes it a perfect choice for trade show graphics, as well as for applications requiring added rigidity. Available in 5 mil, 10 mil and 15 mil thickness.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
5 mil				
3850PC-9935	38	150	C	\$ 561.00
5150PC-9935	51	150	B	\$ 751.00
S9935	38	15	N/A	\$ 45.00
10 mil				
3850PC-9945	38	150	B	\$ 772.00
5150PC-9945	51	150	C	\$ 1,036.00
S9945	38	15	N/A	\$ 54.00
15 mil				
3850PC-9955	38	150	B	\$ 867.00
5150PC-9955	51	150	C	\$ 1,164.00
S9955	38	15	N/A	\$ 60.00

filmolux® PP satin matte

filmolux PP satin matte is an economical 3 mil cast polypropylene laminating film featuring a permanent, water-based acrylic adhesive. Its satin matte finish makes it perfect for indoor applications that are exposed to direct lighting.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
83034	38	150	C	\$ 148.00
83036	51	150	C	\$ 199.00
83031	38	15	N/A	\$ 32.00

Mounting Adhesives

gudy® 802

This multi-purpose, economical pressure-sensitive mounting adhesive is ideal for applying photographs or digital graphics onto light colored substrates. gudy 802 is constructed with a .5 mil clear polyester carrier that is coated on each side with an aggressive, permanent water-based acrylic adhesive. gudy 802 now features a clay coated Kraft paper release liner that will allow tighter roll winding for improved long-term storage.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
82104	38	150	B	\$ 216.00
82105	41	150	C	\$ 234.00
82106	51	150	B	\$ 292.00
82101	38	15	N/A	\$ 35.00

gudy® 808

gudy 808 has been reformulated to provide consistently superior results. With its 1 mil white polyester carrier, it provides excellent bleed-through protection for general mounting – especially to dark substrates. A new clay-coated Kraft paper release liner protects the permanent water-based mounting adhesive. This feature allows for tighter roll winding and improved long-term storage.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
82132	25	150	B	\$ 153.00
82134	31	150	C	\$ 189.00
82135	38	150	@	\$ 241.00
82137	41	150	B	\$ 259.00
82139	51	150	@	\$ 311.00
82140	51	300	B	\$ 622.00
82141	54	150	C	\$ 329.00
82143	61	150	A	\$ 371.00
82131	38	15	N/A	\$ 35.00

gudy® 909

gudy 909 features and 1 mil optically clear polyester carrier that is double-side coated with a clear solvent-based acrylic adhesive - making it ideal for face mounting prints to glass or Plexiglas. Dual release liners protect the adhesive from debris until it is applied to your print. Use gudy 909 to make mall directories, bus shelter displays, stadium signage, museum displays and for float mounted applications.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
3850FM-9956	38	150	A	\$ 415.00
5150FM-9956	51	150	A	\$ 591.00
6150FM-9956	61	150	B	\$ 706.00
S9956	38	15	N/A	\$ 39.00

gudy® 804

gudy 804 is a 3 mil vinyl carrier film that is coated on both sides with a water-based acrylic adhesive. One side features an aggressive, permanent adhesive, while the other allows for repositioning through a unique micro-groove design in the secondary release liner. The non-permanent side remains removable for up to 6 months without leaving adhesive residue - making it perfect for floor graphics, trade show walls, countertop and table top displays.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
25911	24	164	C	\$ 233.40
6008493	41	164	C	\$ 520.00
6025260	51	164	@	\$ 651.00
S804	38	15	N/A	\$ 55.00

gudy® 831

This unique adhesive features a long-fiber paper carrier making it ideal for a wide range of applications. Use gudy 831 for small, manual applications or for large images that need to be rolled and unrolled. It is also great for mounting irregular media, such as canvas, to rigid substrates. gudy 831 has also passed the Photographic Activity Test (PAT), which certifies it as the safest choice for mounting photographs.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
6008500	41	164	A	\$ 424.00
6008501	51	164	@	\$ 526.00
S831	38	15	N/A	\$ 49.00

gudy® eco

gudy eco is an unsupported, water-based acrylic adhesive with a siliconized Kraft paper release liner. As part of our Pro Nature program, it is manufactured in an eco friendly manner (low VOC and CO2 emissions), is recyclable and environmentally degradable. This carrier-free adhesive is an economical choice that is ideal for flexible displays, pre-coating board and rigid displays.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
82184	38	150	B	\$ 163.00
82186	51	150	B	\$ 218.00
82181	38	15	N/A	\$ 32.00

Mounting Adhesives Continued

gudy® outdoor

gudy outdoor is an ultra-aggressive, permanent solvent-based acrylic adhesive. It features a 1.5 mil white polypropylene carrier that prevents bleed-through and color shift when mounting to dark colored or translucent substrates. gudy outdoor is ideal for long-term outdoor applications such as stadium signage and retail sidewalk displays.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
82163	31	150	C	\$ 301.00
82164	38	150	C	\$ 433.00
82165	41	150	C	\$ 446.00
82166	51	150	B	\$ 491.00
82161	38	15	N/A	\$ 47.00

gudy® window

gudy window is a water-based mounting adhesive that can be applied to the face of a graphic and then face-mounted on interior windows. Its 1 mil clear polyester carrier has a permanent adhesive on one side and a removable adhesive on the other. It is ideal for bubble-free manual applications and can be easily removed without residue - perfect for store front promotions.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
6008365	38	164	A	\$ 445.00
6026855	51	164	A	\$ 590.00
S6008365	38	15	N/A	\$ 36.00

gudy® wide

gudy wide is a 79" wide permanent water-based acrylic adhesive. This adhesive has a 2 mil white polypropylene carrier to prevent bleed-through and color shift when mounting thin digital media to dark or colored substrates. Pair your 79" filmolux® photo, satin or filmomatt® laminates with gudy wide for a complete wide format solution.

Item#	Width (In.)	Length (Ft.)	Inventory Class	List Price
82177	79	200	C	\$ 695.00
82171	38	15	N/A	\$ 36.00

Self Adhesive Print Media for Solvent Inks

SolvoPrint™ ProGrip

This premium white calendered polymeric vinyl is designed for large format graphics on solvent inkjet printers. It is available in a matte finish with permanent or removable adhesive. This product has a five to seven year outdoor durability rating under normal exposure conditions.

Matte, Aqueous Adhesive - Permanent

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
62773	54	150	3.4 mil	\$ 254.00
62774	60	150	3.4 mil	\$ 282.00
62770	30	10	3.4 mil	\$ 25.00

Matte, Aqueous Adhesive - Removable

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
62783	54	150	3.4 mil	\$ 254.00
62784	60	150	3.4 mil	\$ 282.00
62780	30	10	3.4 mil	\$ 25.00

SolvoPrint™ SuperGrip

Constructed from calendered semi-polymeric vinyl, this product is available in a gloss finish with a permanent adhesive. This product has a four to five year outdoor durability rating under normal exposure conditions.

Gloss, Aqueous Adhesive - Permanent

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
62793	54	150	3.0 mil	\$ 173.00
62794	60	150	3.0 mil	\$ 191.00
62790	30	10	3.0 mil	\$ 25.00

SolvoPrint™ MightyGrip

This calendered monomeric vinyl is available in matte and gloss finishes with a permanent or removable adhesive. This product has a three to four year outdoor durability rating under normal exposure conditions.

Gloss, Aqueous Adhesive - Permanent

Item #	Width (In.)	Length (Ft.)	Thickness	List Price
62893	54	150	3.5 mil	\$ 139.00
62894	60	150	3.5 mil	\$ 155.00
62890	30	10	3.5 mil	\$ 25.00

Matte, Aqueous Adhesive - Permanent

Item #	Width (In.)	Length (Ft.)	Thickness	List Price
62903	54	150	3.5 mil	\$ 139.00
62904	60	150	3.5 mil	\$ 155.00
62900	30	10	3.5 mil	\$ 25.00

Gloss, Aqueous Adhesive - Removable

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
62763	54	150	3.5 mil	\$ 139.00
62764	60	150	3.5 mil	\$ 155.00
62760	30	10	3.5 mil	\$ 25.00

Matte, Aqueous Adhesive - Removable

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
62753	54	150	3.5 mil	\$ 139.00
62754	60	150	3.5 mil	\$ 155.00
62750	30	10	3.5 mil	\$ 25.00

Digital Print Media - Water-based Inks - Banner Fabrics

All Printex textiles are supplied on a 2" core.

Printex™ Easy Banner Light

This 4.9 oz (7.5 mil) polyester fabric base is coated with an inkjet surface coating that supports aqueous dye and pigment based inks. It offers excellent color reproduction and performance in hanging banner and roll up banner stands. It works best for light to medium duty, as well as in backlit applications. The edges can be cut without fraying, plus there is no edge curl.

Item#	Width (In.)	Length (Ft.)	List Price
6024514	36	150	\$ 479.00
6024516	50	150	\$ 665.00
6024518	60	150	\$ 798.00
6024513	30	10	\$ 31.00

Printex™ Easy Banner Heavy

This 7.1 oz (11.2 mil) polyester fabric base is coated with an inkjet surface coating that supports aqueous dye and pigment based inks. It offers excellent color reproduction and performance in hanging banner and roll up banner stands. This media offers both opacity and durability. Finishing is a snap, the edges can be cut without fraying – plus there is no edge curl.

Item#	Width (In.)	Length (Ft.)	List Price
6024519	36	98	\$ 414.00
6024520	42	98	\$ 480.00
6024521	50	98	\$ 574.00
6024523	60	98	\$ 688.00
6024524	30	10	\$ 31.00

Display Media for Water-based Inks

PrintLux™ Easy Panel 310

This rigid 12 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6025070	36	65	12 mil	\$ 168.00
6025073	42	65	12 mil	\$ 197.00
60076	30	10	12 mil	\$ 40.00

PrintLux™ Easy Panel 430

This rigid 17 mil PVC media is specially coated to produce excellent print quality with dye and pigment water-based inks. The opaque appearance, plus scratch and water resistance when printed with pigment based inks, make this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6025067	36	65	17 mil	\$ 206.00
6025069	42	65	17 mil	\$ 231.00
60078	30	10	17 mil	\$ 40.00

PrintLux™ Nolite 350

For use with dye and pigment inks, this 14 mil matte polyester media provides 100% opacity with the integrated block out layer. Nolite 350 features a stiff construction, with no edge curl, that works perfectly in a wide variety of indoor and short-term outdoor banner and display applications.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6023940	36	65	14 mil	\$ 305.00
60080	30	10	14 mil	\$ 45.00

Display Media - Solvent-based and UV-curable Inks

SolvoPrint™ Easy Panel 220

SolvoPrint Easy Panel 220 (8.66 mil) is for use with solvent, eco-solvent and UV inks. Easy Panel 220 is a rigid PVC media with a special inkjet coating to produce excellent print quality and strong color vibrancy. It has an opaque appearance, but is not completely light-blocking, and is also scratch and water resistant. Easy Panel 220 is an ideal choice for printing trade show graphics and is compatible with the Expolinc Roll-up Classic, Roll-up Professional and Pop-up display systems. Neschen recommends over-laminating this product for added durability and protection.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6026976	36	100	8.66 mil	\$ 235.00
6026977	54	100	8.66 mil	\$ 352.00
60109	30	10	8.66 mil	\$ 60.00

SolvoPrint™ Easy Panel 430

This rigid 17 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. The opaque appearance makes this an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6026980	36	65	17 mil	\$ 206.00
6026981	42	65	17 mil	\$ 240.00
60071	30	10	17 mil	\$ 60.00

SolvoPrint™ Daytona PVC Banner

SolvoPrint Daytona PVC Banner is a 13 oz PVC product perfect for cost-effective messaging. Ideal for frontlit banners and displays, it can be used both indoors and outdoors for up to one year.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6081421	38	164	14.4 mil	\$ 98.00
6081422	54	164	14.4 mil	\$ 139.00
6081423	61	164	14.4 mil	\$ 157.00
60115	30	10	14.4 mil	\$ 60.00

SolvoPrint™ Easy Panel 310

This rigid 12 mil PVC media is specially coated to produce excellent print quality with solvent, eco-solvent and UV inks. Easy Panel 310 is an ideal choice for banner stands and pop-up displays. Its NFPA 701 certification allows for use at trade shows and other public venues.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6026982	36	65	12 mil	\$ 168.00
6026983	42	65	12 mil	\$ 197.00
60070	30	10	12 mil	\$ 60.00

SolvoPrint™ Paper 240 Satin

This bright white, 9 mil photo paper is designed for use with solvent, eco-solvent and UV inks. It produces vibrantly-colored photorealistic images for use with photo prints, posters and trade show graphics. We recommend encapsulation for indoor and short-term outdoor display graphics.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6030138	50	164	9.6 mil	\$ 175.00
6025065	54	164	9.6 mil	\$ 189.00
6025066	60	164	9.6 mil	\$ 210.00
60073	30	10	9.6 mil	\$ 30.00

SolvoPrint™ Gotham PVC Blockout

SolvoPrint Gotham PVC Blockout is a 13 oz PVC that is 100% opaque and provides total protection from light washout. Its blockout properties also allow it to be double-side printed. Its smooth surface, bright white point and no edge curl enhance your messaging. Gotham PVC Blockout is also durable outdoors for up to 18 months.

Item#	Width (In.)	Length (Ft.)	Thickness	List Price
6081441	36	131	13.2 mil	\$ 153.00
6081442	54	131	13.2 mil	\$ 230.00
6081443	63	131	13.2 mil	\$ 268.00
60116	30	10	13.2 mil	\$ 60.00

Pure Color™ Media Line

Golden Gate Fabric

Golden Gate is an 8 oz/yd² polyester fabric coated with PVC that is perfect for making the transition from printing on PVC banners to a more sophisticated textile. It offers the look and feel of a textile with the printing ease of PVC. This rugged indoor or outdoor product has an anti-fungal treatment that is ideal for use in damp environments and longer-term outdoor signage. It is also NFPA 701 fire rated – making it ideal for store signage, roll up and screen displays, murals, trade show graphics and POP displays in any public area. Golden Gate fabric will reproduce brilliant colors with most solvent and eco-solvent printers in the market.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6318002	42	1.07	164	50	\$ 361.00	\$ 7.22	\$ 0.63	Yes	Yes	No
6318003	54	1.37	164	50	\$ 463.00	\$ 9.26	\$ 0.63	Yes	Yes	No
6318004	61	1.55	164	50	\$ 524.00	\$ 10.48	\$ 0.63	Yes	Yes	No
6318005	71	1.80	164	50	\$ 608.00	\$ 12.16	\$ 0.63	Yes	Yes	No
6318006	80	2.05	164	50	\$ 693.00	\$ 13.86	\$ 0.63	Yes	Yes	No
6318007	98	2.50	164	50	\$ 845.00	\$ 16.90	\$ 0.63	Yes	Yes	No
6318001	20	0.50	10	3	\$ 25.00			Yes	Yes	No

VersaFabric™

VersaFabric, a 7.1 oz/yd², 100% polyester fabric with a specialty coating, is one of the most versatile fabrics on the market today. It is perfect for both indoor and outdoor applications where color, wrinkle resistance and drape are important. VersaFabric provides sharp image reproduction and brilliant color finish for dramatic trade show roll-up, pop-up and soft image displays, store signage, murals, POP displays, tent sides and theatrical backdrops. Plus, its NFPA 701 fire rating allows it to be used in public areas. This fabric is performance designed for use with most solvent, eco-solvent and UV cure printers on the market.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6318012	41	1.05	82	25	\$ 241.00	\$ 9.64	\$ 0.86	Yes	Yes	Yes
6318013	54	1.37	82	25	\$ 306.25	\$ 12.25	\$ 0.83	Yes	Yes	Yes
6318014	61	1.55	82	25	\$ 346.50	\$ 13.86	\$ 0.83	Yes	Yes	Yes
6318015	80	2.05	164	50	\$ 917.00	\$ 18.34	\$ 0.84	Yes	Yes	Yes
6318016	98	2.50	164	50	\$ 1,118.00	\$ 22.36	\$ 0.83	Yes	Yes	Yes
6318011	20	0.50	10	3	\$ 25.00			Yes	Yes	Yes

Monet Canvas

Monet is a heavyweight 10 oz/yd² coated canvas with a prominent tooth that is ideal for giclée art reproductions, as well as for eye-catching POP signage, trade show graphics and store signage. This strong, yet flexible, canvas features a uniform matte texture and its specialized coating allows for vibrant, photorealistic printing with a wide color gamut. Designed for use with most solvent, eco-solvent and UV printers on the market, Monet's tight weave also allows it to be used with vacuum-carried flat bed UV printers.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6318022	54	1.37	82	25	\$ 267.00	\$ 10.68	\$ 0.72	Yes	Yes	Yes
6318023	61	1.55	82	25	\$ 303.00	\$ 12.12	\$ 0.73	Yes	Yes	Yes
6318021	20	0.50	10	3	\$ 25.00			Yes	Yes	Yes

Mambo Fabric

Mambo is a 9 oz/yd², 100% polyester fabric featuring a unique coating that provides for the highest color brilliance and the deepest, richest blacks. Its distinctive characteristics make it ideal for a wide variety of indoor and outdoor displays where the look and feel of fabric will enhance and add depth to the image. It will make a splash with store signage, backlit displays, murals, trade show graphics, POP displays, tent sides, and theatrical backdrops using Mambo fabric. This product is designed for printing with most solvent and eco-solvent printers on the market.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6318044	42	1.07	82	25	\$ 284.00	\$ 11.36	\$ 0.99	Yes	Yes	No
6318042	54	1.37	82	25	\$ 364.00	\$ 14.56	\$ 0.99	Yes	Yes	No
6318043	61	1.55	82	25	\$ 412.00	\$ 16.48	\$ 0.99	Yes	Yes	No
6318041	20	0.50	10	3	\$ 25.00			Yes	Yes	No

Calypso Breeze Satin

Calypso Breeze is a lightweight 3.5 oz/yd² translucent satin polyester fabric. It features a specialty coating that delivers photo realistic imaging with a wide color gamut, fast dry time and excellent scratch resistance. The satin finish provides a distinctive look that is ideal for use in backlit and roll-up displays and window graphics – anywhere eye-catching visuals are required. Calypso Breeze is designed for use with most solvent, eco solvent and UV printers in the market.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6318052	54	1.37	100	30.5	\$ 318.00	\$ 10.43	\$ 0.71	Yes	Yes	Yes
6318053	60	1.55	100	30.5	\$ 354.00	\$ 11.61	\$ 0.71	Yes	Yes	Yes
6318051	20	0.50	10	3	\$ 25.00			Yes	Yes	Yes

Apollo Flag™

Apollo Flag is a lightweight 3.2 oz/yd² polyester flag that is perfect for use with any flag system, plus it features a paper backing that allows it to be printed without the use of a mesh printing kit. For bright colors with great bleed through, this is the product of choice. Apollo Flag makes dramatic messaging for indoor and outdoor applications easy. It is designed for use with most solvent, eco-solvent and UV printers in the market.

Item#	Width Inches	Width M	length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6023891	42	1.07	100	30.5	\$ 291.00	\$ 9.54	\$0.83	Yes	Yes	Yes
6023892	54	1.37	100	30.5	\$ 374.00	\$ 12.26	\$0.83	Yes	Yes	Yes
6023893	64	1.63	100	30.5	\$ 444.00	\$ 14.56	\$0.83	Yes	Yes	Yes
6023890	20	0.50	10	3	\$ 25.00			Yes	Yes	Yes

Textile Accessories

Thermcutter and Blade

When using any Neschen inkjet media, it is important to finish it properly. Many of our textiles, require no finishing and will not fray if simply cut with textile scissors or a knife. Others should have their edges either sewn under or heat knifed. A heat knife is a great way to get a clean, straight edge and works by simultaneously cutting and melting the fibers at the edge of the textile. The Thermcutter is not recommended for use with natural fibers such as cotton.

Item#	Description	List Price
600HSG0	Knife: 110v 60 Hz	\$ 159.00
600H205	Blade: Type R Blade - Heatcutter	\$ 45.58

Digital Print Media - Solvent-based and UV-curable Inks - Banner Fabrics

SolvoTex™ Artist 260

Artist 260 is 100% polyester with a medium soft canvas structure. This lighter weight fabric is coated on both sides - allowing for photo-quality prints. 7.9oz/yd². Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6009164	126	3.20	164	50	\$ 1,187.50	\$ 23.75	\$ 0.69	Yes	Yes	No
60067	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ Artist 310XC

Artist 310XC is a 100% polyester textile, weighs 10 oz/yd² and features a high white point. The heavy canvas structure of Artist 310XC makes it a perfect choice for murals and hanging theatrical backdrops. This product is NFPA 701 certified.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6003597	122	3.10	164	50	\$ 1,811.50	\$ 36.23	\$ 1.09	Yes	Yes	Yes
6003598	197	5.00	164	50	\$ 3,392.00	\$ 67.84	\$ 1.26	Yes	Yes	Yes
60119	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SolvoTex™ Artist Banner Light

Artist Banner Light is air tight which makes it perfect for all vacuum table printers in the market today. It has a light canvas structure and has the highest color brilliance with deep blacks. 5.9oz/yd²

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6019748	54	1.37	164	50	\$ 524.00	\$ 10.48	\$ 0.71	Yes	Yes	No
6019749	61	1.55	164	50	\$ 596.00	\$ 11.92	\$ 0.71	Yes	Yes	No
2221	20	0.50	10	3	\$ 25.00			Yes	Yes	No

SolvoTex™ Artist Premium Light S

Artist Premium Light S is 100% polyester, light canvas structure without the canvas look. Its excellent color brilliance makes it ideal for displays, especially trade show backdrops. In addition, it can be backlit or frontlit. 5.9oz/yd² Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6014909	80	2.05	164	50	\$ 715.00	\$ 14.30	\$ 0.65	Yes	Yes	Yes
6014910	98	2.50	164	50	\$ 862.00	\$ 17.24	\$ 0.64	Yes	Yes	Yes
6014911	122	3.10	164	50	\$ 1,086.50	\$ 21.73	\$ 0.65	Yes	Yes	Yes
6014912	198	5.05	164	50	\$ 1,747.00	\$ 34.94	\$ 0.65	Yes	Yes	Yes
60016	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

Digital Print Media - Solvent-based and UV-curable Inks - Banner Fabrics Continued

SolvoTex™ Artist Premium Heavy S

This versatile, 100% polyester, heavy canvas structure works well with a variety of display graphics - especially trade show backdrops. It is available in a wide variety of sizes, and will maintain its superior color brilliance outdoors for up to six months. 8.5oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6014917	80	2.05	164	50	\$ 839.50	\$ 16.79	\$ 0.77	Yes	Yes	Yes
6014918	98	2.50	164	50	\$ 1,015.00	\$ 20.30	\$ 0.76	Yes	Yes	Yes
6014919	122	3.10	164	50	\$ 1,361.00	\$ 27.22	\$ 0.82	Yes	Yes	Yes
6014920	198	5.05	164	50	\$ 2,064.00	\$ 41.28	\$ 0.76	Yes	Yes	Yes
60017	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SolvoTex™ PES Banner 240

PES Banner 240 is a 100% polyester fabric media designed for solvent and eco-solvent digital printing. Its tight-weave structure give the material slightly elastic properties, making it ideal for stretch-frames, banner stands, and tension fabric structure applications. PES Banner 240 also features a special coating to ensure sharp image reproduction and brilliant color, yet it remains soft to the touch and offers wrinkle resistant performance. 7.1oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6024172	122	3.10	164	50	\$ 1,418.00	\$ 28.36	\$ 0.85	Yes	Yes	Yes
6024173	198	5.05	164	50	\$ 2,268.50	\$ 45.37	\$ 0.84	Yes	Yes	Yes
60066	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

Digital Print Media - Solvent-based and UV-curable Inks - Cottons

SolvoTex™ Cotton Premium Light S

Cotton Premium Light S is a light linen weave, and is made from 100% cotton natural fibers - providing an earth-safe way to achieve photo-realistic print quality. The single side "S" coating provides improved image performance, with higher color gamut and brilliance. This product is for indoor use only. 5.9oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6025923	61	1.55	99	30	\$ 521.70	\$ 17.39	\$ 1.04	Yes	Yes	Yes
6025925	80	2.05	164	50	\$ 748.50	\$ 14.97	\$ 0.68	Yes	Yes	Yes
6025926	98	2.50	164	50	\$ 913.00	\$ 18.26	\$ 0.68	Yes	Yes	Yes
6025927	122	3.10	164	50	\$ 1,140.00	\$ 22.80	\$ 0.68	Yes	Yes	Yes
6025928	198	5.05	164	50	\$ 1,860.00	\$ 37.20	\$ 0.69	Yes	Yes	Yes
60068	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SolvoTex™ Cotton Premium Heavy S

Cotton Premium Heavy S is a heavy linen weave, and is made from 100% natural cotton fibers - providing an earth-safe way to achieve photo-realistic print quality. The single side "S" coating provides improved image performance, with higher color gamut and brilliance. This product is for indoor use only. This product is **non-FR**. 9.7 oz/yd2.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6025912	80	2.05	164	50	\$ 981.00	\$ 19.62	\$ 0.90	Yes	Yes	Yes
6025913	98	2.50	164	50	\$ 1,191.00	\$ 23.82	\$ 0.89	Yes	Yes	Yes
6025914	122	3.10	164	50	\$ 1,474.50	\$ 29.49	\$ 0.88	Yes	Yes	Yes
6025918	198	5.05	164	50	\$ 2,416.00	\$ 48.32	\$ 0.89	Yes	Yes	Yes
60069	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SolvoTex™ Digital Sharktooth

This artistic open scrim mesh is 100% cotton and is perfect for indoor ceiling construction applications. 4.1oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6009210	197	5.05	164	50	\$ 2,236.50	\$ 44.73	\$ 0.83	Yes	No	No
60038	30	0.76	23	7	\$ 40.00			Yes	No	No

Digital Print Media - Solvent-based and UV-curable Inks - Flags

SolvoTex™ PES Flag Plus 2

PES Flag Plus 2 is a 100% polyester transparent, knitted fabric that provides excellent color brilliance for outdoor applications - durable for up to six months. It is also wrinkle and crease free. 3.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6015959	80	2.05	328	100	\$ 935.00	\$ 9.35	\$ 0.43	Yes	Yes	No
6015960	122	3.10	328	100	\$ 1,450.00	\$ 14.50	\$ 0.43	Yes	Yes	No
6015961	198	5.05	328	100	\$ 2,117.00	\$ 21.17	\$ 0.39	Yes	Yes	No
60027	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ TCS Flag Plus

This transparent, knitted fabric features 100% Trevira CS polyester, and promises excellent color brilliance for outdoor applications, even after six months of environmental exposure. Other fabric benefits include a nice bleed through effect, plus it is wrinkle and crease free. 3.2oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6003544	80	2.05	328	100	\$ 1,332.00	\$ 13.32	\$ 0.61	Yes	Yes	No
6003545	122	3.10	328	100	\$ 1,990.00	\$ 19.90	\$ 0.60	Yes	Yes	No
6003546	198	5.05	328	100	\$ 3,242.00	\$ 32.42	\$ 0.60	Yes	Yes	No
60026	30	0.76	23	7	\$ 40.00			Yes	Yes	No

Digital Print Media - Solvent-based and UV-curable Inks - Special Applications

SolvoTex™ TCS Voile Plus

This 100% Trevira CS polyester fine voile is transparent and offers exceptional color brilliance. The sheer bleed through effect allows it to be used in a variety of applications including department stores, museum displays, and speaker covers. To create a three dimensional effect, place a duplicate image three feet in front of a printed image. 1.3oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6003557	122	3.10	164	50	\$ 1,009.50	\$ 20.19	\$ 0.61	Yes	Yes	No
6003558	198	5.05	164	50	\$ 1,643.50	\$ 32.87	\$ 0.61	Yes	Yes	No
60028	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ PES Crystal Plus 1

This 100% polyester poplin weave with a satin gloss finish is silky to the touch. Ideal for trade show graphics and frame systems, PES Crystal Plus 1 offers excellent color brilliance, a diagonal stretch plus it is wrinkle free and crease resistant. 4.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6006361	80	2.05	164	50	\$ 774.50	\$ 15.49	\$ 0.71	Yes	Yes	No
6006362	122	3.10	164	50	\$ 1,180.00	\$ 23.60	\$ 0.71	Yes	Yes	No
6006363	198	5.05	164	50	\$ 1,901.50	\$ 38.03	\$ 0.70	Yes	Yes	No
60032	30	0.76	23	7	\$ 40.00			Yes	Yes	No

Digital Print Media - Solvent-based and UV-curable Inks - Special Applications Continued

SolvoTex™ Theatre 310 Plus

Theatre 310 Plus softens the look of theatrical or museum backdrops with an ultra-matte non-glare surface. This coated heavy poplin weave is 100% polyester. 8.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6025473	122	3.10	164	50	\$ 1,434.00	\$ 28.68	\$ 0.86	Yes	No	Yes
6025474	198	5.05	164	50	\$ 2,274.50	\$ 45.49	\$ 0.84	Yes	No	Yes
60081	30	0.76	23	7	\$ 40.00			Yes	No	Yes

SolvoTex™ TCS 200 Plus 2

This 100% Trevira CS polyester is one of the only dual purpose satins available. It is uniquely designed with a light satin finish on one side and a true poplin finish on the other. This textile is wrinkle free, crease free and comes in sizes up to 198" wide. 5.9oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6014933	122	3.10	164	50	\$ 1,418.00	\$ 28.36	\$ 0.85	Yes	Yes	No
6014934	198	5.05	164	50	\$ 2,325.00	\$ 46.50	\$ 0.86	Yes	Yes	No
60029	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ TCS 300 Plus 2

TCS 300 Plus 2 is ideal for grand format trade show graphics. This heavy super durable polyester canvas fabric offers excellent color brilliance for up to two years. 8.8oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6014943	122	3.10	164	50	\$ 1,985.00	\$ 39.70	\$ 1.19	Yes	Yes	Yes
6014944	198	5.05	164	50	\$ 3,325.50	\$ 66.51	\$ 1.23	Yes	Yes	Yes
60030	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SolvoTex™ Samba Plus

Samba Plus is 100% polyester and employs our universal coating technology. This light poplin weave is single side coated and is perfect for both front or back lit applications due to its true opacity. 3.5oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6009860	59	1.50	328	100	\$ 1,332.00	\$ 13.32	\$ 0.83	Yes	Yes	No
60041	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ Samba Light Box

Samba Light Box utilizes our universal coating technology to achieve the highest print quality possible today. It is 100% polyester and can be either front or back lit. 3.8oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6009862	122	3.10	164	50	\$ 1,391.00	\$ 27.82	\$ 0.83	Yes	Yes	No
60039	30	0.76	23	7	\$ 40.00			Yes	Yes	No

SolvoTex™ Spinnaker 60 FR

Spinnaker 60 FR is 100% polyamid textile. It is lightweight - making it ideal for use with trailing airplane messages and outdoor banners. 2.0oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco- Solvent	UV
6003586	118	3.00	164	50	\$ 1,866.50	\$ 37.33	\$ 1.16	Yes	Yes	No
60035	30	0.76	23	7	\$ 40.00			Yes	Yes	No

Digital Print Media - Solvent-based and UV-curable Inks - Blockout

SolvoTex™ No-Lite 335

No-Lite 335 allows for double sided printing on either the polyester or foam side. This material has a matte finish and also features an absolute blockout effect that makes it ideal for multiple applications. 9.8oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6003560	110	2.80	150	46	\$ 598.92	\$ 13.02	\$ 0.44	Yes	No	Yes
60036	30	0.76	23	7	\$ 40.00			Yes	No	Yes

SolvoTex™ No-Lite Double Poly

No-Lite Double Poly is a double-sided polyester that boasts an absolute blockout effect. It is printable on both sides and provides great outdoor durability. 13.2oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6003562	84	2.13	92	28	\$ 913.08	\$ 32.61	\$ 1.42	Yes	No	Yes
60037	30	0.76	23	7	\$ 40.00			Yes	No	Yes

Digital Print Media - Solvent-based and UV-curable Inks - PVC Flexface

SolvoTex™ PVC Premium FL

PVC Premium FL is a 100% polyester that features a PVC top coating on each side. It is fungus and UV resistant - making it ideal for indoor or outdoor frontlit applications. 14.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6012380	54	1.37	164	50	\$ 216.00	\$ 4.32	\$ 0.29	Yes	Yes	Yes
6012381	61	1.55	164	50	\$ 243.50	\$ 4.87	\$ 0.29	Yes	Yes	Yes
6012384	80	2.05	164	50	\$ 319.00	\$ 6.38	\$ 0.29	Yes	Yes	Yes
6009130	98	2.50	164	50	\$ 393.50	\$ 7.87	\$ 0.29	Yes	Yes	Yes
6009131	126	3.20	164	50	\$ 503.00	\$ 10.06	\$ 0.29	Yes	Yes	Yes
6009132	197	5.00	164	50	\$ 819.50	\$ 16.39	\$ 0.30	Yes	Yes	Yes
60010	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

SolvoTex™ PVC Standard FL

PVC Standard FL is an economical PVC coated polyester. It is fungus and UV resistant - making it ideal for indoor or outdoor frontlit applications. 11.2oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6009158	80	2.05	164	50	\$ 282.50	\$ 5.65	\$ 0.26	Yes	Yes	Yes
6009142	126	3.20	164	50	\$ 432.00	\$ 8.64	\$ 0.25	Yes	Yes	Yes
6009143	197	5.00	164	50	\$ 664.50	\$ 13.29	\$ 0.25	Yes	Yes	Yes
60013	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

SolvoTex™ PVC Black Back FL

PVC Black Back FL is a polyester that is double-side coated with fungus and UV resistant PVC. It features a black back for a total blockout effect - creating the optimum material for frontlit applications. 14.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6009144	126	3.20	164	50	\$ 564.50	\$ 11.29	\$ 0.33	Yes	Yes	Yes
6009145	197	5.00	164	50	\$ 952.00	\$ 19.04	\$ 0.35	Yes	Yes	Yes
60012	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

SolvoTex™ PVC Premium BL

PVC Premium BL is polyester that is double-side coated with a PVC topcoat - creating the perfect material for backlit applications. It is also fungus and UV resistant. 14.7oz/yd2 Meets NFPA 701.

Item#	Width Inches	Width M	Length Feet	Length L/M	List Roll Price	List L/M Price	List Sq Ft Price	Solvent	Eco-Solvent	UV
6009134	126	3.20	164	50	\$ 755.00	\$ 15.10	\$ 0.44	Yes	Yes	Yes
6009129	197	5.00	164	50	\$ 1,179.50	\$ 23.59	\$ 0.44	Yes	Yes	Yes
60011	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

Digital Print Media - Solvent-based and UV-curable Inks - PVC Flexface Continued

SolvoTex™ PVC Standard Blockout

PVC Standard Blockout is polyester that is double-side coated with a PVC topcoat - creating a total blackout effect. 15.2oz/yd² Meets NFPA 701.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Solvent	Eco-Solvent	UV
	Inches	M	Feet	L/M	Price	Price	Price			
6027022	54	1.37	164	50	\$ 278.50	\$	5.57 \$ 0.38	Yes	Yes	Yes
6027023	63	1.60	164	50	\$ 325.50	\$	6.51 \$ 0.38	Yes	Yes	Yes
6027025	83	2.10	164	50	\$ 415.00	\$	8.30 \$ 0.37	Yes	Yes	Yes
6027026	98	2.50	164	50	\$ 508.50	\$	10.17 \$ 0.38	Yes	Yes	Yes
6027071	126	3.20	164	50	\$ 650.50	\$	13.01 \$ 0.38	Yes	Yes	Yes
6027072	189	4.80	164	50	\$ 976.00	\$	19.52 \$ 0.38	Yes	Yes	Yes
60085	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

SolvoTex™ PVC Supreme Mesh

The PVC Supreme Mesh is a closed-hole mesh that is PVC coated on both sides. It is an ultra-durable material, fungus and UV resistant, and allows for double-side printing. 10.3oz/yd² Meets NFPA 701.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Solvent	Eco-Solvent	UV
	Inches	M	Feet	L/M	Price	Price	Price			
6009127	126	3.20	164	50	\$ 553.50	\$	11.07 \$ 0.32	Yes	Yes	Yes
6009137	197	5.00	164	50	\$ 863.50	\$	17.27 \$ 0.32	Yes	Yes	Yes
60015	30	0.76	23	7	\$ 25.00			Yes	Yes	Yes

Digital Print Media - Dye Sublimation

Poplins

DirectTex™ Pro-Poplin

Pro-Poplin is 100% polyester fabric that is the product of choice when image quality and performance are the main criteria. Its higher opacity easily hides a graphic's support structure and it is crease and wrinkle free which allows the graphics to be shipped folded-up. Pro-Poplin offers a soft hand and excellent drape with a rich feel, while its high white point allows the graphic's colors to pop. Pro-Poplin is compatible with aqueous or oil based dye transfer techniques and with flexible UV curable inks. 6.2 oz/yd² Meets NFPA 701.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer Dye Sub	Direct Dye Sub	UV
	Inches	M	Feet	L/M	Price	Price	Price			
3428015	61	1.55	328	100	\$ 1,298.00	\$	12.98 \$ 0.78	Yes	Yes	Yes
3428018	71	1.80	328	100	\$ 1,508.00	\$	15.08 \$ 0.78	Yes	Yes	Yes
3428031	122	3.10	328	100	\$ 2,427.00	\$	24.27 \$ 0.73	Yes	Yes	Yes
60040	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

DirectTex™ Pro-Poplin Light

Pro-Poplin Light is a 100% polyester fabric that is a lighter weight alternative to Pro-Poplin. It delivers the same exceptional performance as Pro-Poplin, but is designed for applications where the higher opacity is not critical. The high white point generates deep, rich color graphics, plus it is crease and wrinkle free for easy shipping. Pro-Poplin Light is compatible with solvent, aqueous or oil based dye transfer techniques and with flexible UV curable inks. 5.0 oz/yd² Meets NFPA 701.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer Dye Sub	Direct Dye Sub	UV
	Inches	M	Feet	L/M	Price	Price	Price			
3429031	122	3.10	328	100	\$ 2,033.00	\$	20.33 \$ 0.61	Yes	Yes	Yes
60094	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

DirectTex™ Poplin Superior

Poplin Superior is the best value for a frame or pop-up display. It features a rich 6 oz/yd² smooth, tight weave that enhances any graphic by making the image the focus. The bright white point allows creativity to be limited only by imagination, not color density. Poplin Superior is crease and wrinkle resistant and meets the NFPA 701 fire standard. Poplin Superior is compatible with solvent and aqueous based dye transfer techniques.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer Dye Sub	Direct Dye Sub	UV
	Inches	M	Feet	L/M	Price	Price	Price			
6027043	61	1.55	164	50	\$ 335.50	\$	6.71 \$ 0.40	Yes	Yes	Yes
6027042	122	3.10	164	50	\$ 665.00	\$	13.30 \$ 0.40	Yes	Yes	Yes
60093	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

Digital Print Media - Dye Sublimation Continued

DirectTex™ Knit Banner Light

Knit Banner Light is a lightweight, 4.7 oz/yd², poplin fabric that is perfect for short-term promotional displays. It features our unrivaled coating technology which delivers the brightest colors and sharpest edges with both direct print and transfer dye sublimation. Knit Banner Light is NFPA 701 fire standard rated.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	UV
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
6027046	122	3.10	164	50	\$ 475.00	\$	9.50 \$ 0.28	Yes	Yes	Yes
60092	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

FLAGS

DirectTex™ PES Flag 110

PES Flag 110 is made from 100% polyester and has a weight of 3.4 oz/yd². This product features our unrivaled coating that delivers the brightest colors, deepest blacks and sharpest edges with both direct print and transfer dye sublimation. Expected outdoor durability is six months. PES Flag 110 meets the NFPA 701 fire standard.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	Solvent
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
6001004	61	1.55	164	50	\$ 285.00	\$	5.70 \$ 0.34	Yes	Yes	Yes
6001001	71	1.80	164	50	\$ 290.50	\$	5.81 \$ 0.30	Yes	Yes	Yes
6001012	122	3.10	164	50	\$ 426.50	\$	8.53 \$ 0.26	Yes	Yes	Yes
60051	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

TransferTex™ PES Washed Flag

PES Washed Flag is made from 100% polyester and weighs 3.2 oz/yd². The difference between PES Washed Flag and PES Flag 110 is that the PES Washed Flag is uncoated and designed for use only with transfer dye sublimation. PES Washed Flag meets the NFPA 701 fire standard. Expected outdoor durability is six months.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	Solvent
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
3582203	79	2.03	328	100	\$ 486.00	\$	4.86 \$ 0.23	Yes	No	No
3582310	122	3.10	328	100	\$ 721.00	\$	7.21 \$ 0.22	Yes	No	No
60044	30	0.76	23	7	\$ 40.00			Yes	No	No

SIGNAGE

DirectTex™ Artist Light

Artist Light is a 100% polyester textile with a light canvas structure, weighing 5.4 oz/yd² that is ideal for use with roll-up displays. Artist Light can be used as a frontlit banner or a backlit graphic, and is suited for short-term outdoor usage. It also meets the NFPA 701 fire standard. Artist Light is compatible with solvent, aqueous or oil based dye transfer techniques and with flexible UV curable inks.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	UV
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
6001008	122	3.10	164	50	\$ 607.00	\$	12.14 \$ 0.36	Yes	Yes	Yes
60049	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

DirectTex™ Satin Heavy

Satin Heavy is a 100% polyester fabric that weighs a hefty 8.3 oz/yd². This rich fabric has a unique characteristic – the front side exhibits a light satin finish, while the reverse side is a matte true poplin surface. The material's heavy weight and dual side textures allow for great messaging versatility with only one product. Satin Heavy is compatible with direct print dye sublimation, solvent, aqueous or oil based dye transfer techniques as well as with flexible UV curable inks.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	UV
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
6001021	122	3.10	164	50	\$ 892.50	\$	17.85 \$ 0.54	Yes	Yes	Yes
60053	30	0.76	23	7	\$ 40.00			Yes	Yes	Yes

SPECIALTY

TransferTex™ TCS Knit Voile

TCS Knit Voile is made of 100% polyester and weighs 1.5 oz/yd². This uncoated translucent fabric is ideal for hanging applications where a special visual effect is required, such as museum or theatrical graphics. TCS Knit Voile is recommended for indoor use only.

Item#	Width	Width	Length	Length	List Roll	List L/M	List Sq Ft	Transfer	Direct	UV
	Inches	M	Feet	L/M	Price	Price	Price	Dye Sub	Dye Sub	
3415931	122	3.10	328	100	\$ 768.00	\$	7.68 \$ 0.23	Yes	No	No
60095	30	0.76	23	7	\$ 40.00			Yes	No	No

Liquid Coating Systems - Water-based

Accu-18XE

Designed for professional photographic labs and studios, providing fully automatic, high speed, dry-to-dry, protective coating for digital and photographic images. Handles images form 5" x 7" to 18" x 24".

Item#	Electrical	Coating Width	List Price
63302	115V	18" (.45m)	\$ 5,155.00

AccuCoat™ 1600

The AccuCoat 1600 increases the profitability of your business by providing cost effective, uniform and durable coating solutions that enhance and protect your digital graphics. Perfect for fleet and wallpaper applications.

Item#	Electrical	Coating Width	List Price
63461	240V	60" (1.5m)	\$ 16,536.00

Accessories

Item#	Description	List Price
A210195	#7 (69") Smooth drawdown bar	\$ 506.00
A210196	#11 (69") Meyer drawdown bar	\$ 626.00
A210197	#22 (69") Meyer drawdown bar	\$ 632.00
A210174	#32 (69") Meyer drawdown bar	\$ 667.00
A210198	#40 (69") Meyer drawdown bar	\$ 700.00
A165115	Dam assembly right	\$ 177.00
A165116	Dam assembly left	\$ 177.00
A165133	Extra Supply Tank with pedestal and mounting hardware (includes all necessary plumbing)	\$ 375.00
A165134	Extra Supply Tank without pedestal (includes all necessary plumbing)	\$ 296.00
A540152	Infra red temperature monitoring device	\$ 296.00
62615	AquaClean Cleaner for meyer bar and machine clean up - 4 x 1 gallon size	\$ 120.00

AccuCoat™ 3300

The AccuCoat 3300 can be used for all wide-format digital solvent based prints up to 129" wide. It applies durable outdoor coatings for water, abrasion, UV and chemical protection.

Item#	Electrical	Coating Width	List Price
63471	230V	129" (3.3m)	\$ 39,026.00

Accessories

Item#	Description	List Price
A175113	3.3m 2 up option	\$ 780.00
A175114	3.3m Tank level/flow sensor option	\$ 780.00
A154150	220 VAC 3-phase wiring option	\$ 530.00
A154122	Dual tank option	\$ 4,134.00
A154131	#11 (129") Meyer drawdown assembly (bar and mounting brackets)	\$ 2,045.00
A154130	#22 (129") Meyer drawdown assembly (bar and mounting brackets)	\$ 2,137.00
A154146	#32 (129") Meyer drawdown assembly (bar and mounting brackets)	\$ 2,190.00
A540152	Infra red temperature monitoring device	\$ 296.00
62615	AquaClean cleaner for meyer bar and machine clean up - 4 x 1 gallon size	\$ 120.00

Liquid Coating Systems - UV

AccuCure™ 60 & 80 UV

Engineered for super-high speed UV lamination of digital and photographic images. They feature an adjustable 3" nip for use with virtually any substrate.

Item#	Electrical	Coating Width	List Price
63315	220V	60" (1.6m)	\$ 77,995.00
63317	380V	60" (1.6m)	\$ 77,995.00
63316	220V	80" (2.0m)	\$ 99,995.00
63318	380V	80" (2.0m)	\$ 99,995.00

Liquid Coatings - Water-based

AccuLac™ 1100

This water-based acrylic coating offers an economic way to protect your graphics. It is especially suited for use with photographs, and is available in either a clear or luster finish.

Item#	Finish	Size	List Price
5001101	Clear	1 Gallon	\$123.00
5001102	Luster	1 Gallon	\$123.00

AccuLac™ 1250

Use this water-based acrylic coating for an easy-to-clean solution to enhance and protect inkjet and photographic images. AccuLac 1250 produces less odor than other coatings and is available in a clear, luster and matte finish.

Item#	Finish	Size	List Price
5001251	Clear	1 Gallon	\$129.00
5001252	Luster	1 Gallon	\$129.00
5001253	Matte	1 Gallon	\$129.00

AccuLac™ 1400

This water-based urethane coating is not only easy-to-clean, but also has a low odor making it ideal for preserving and enhancing inkjet and photographic images. It is available in a clear finish.

Item#	Finish	Size	List Price
5001400	Clear	1 Gallon	\$152.00

UltraCoat® Fleet

Engineered specifically for fleet graphics of all types. The semi-gloss properties of UltraCoat Fleet ensure maximum visceral exposure of the intended message while giving maximum "pop" to the image without distortion or color shift.

Item#	Finish	Size	List Price
62603	Semi Gloss	5 Gallon	\$578.00
62604	Semi Gloss	55 Gallon	\$4,354.00

UltraCoat® Giclee

UltraCoat Giclee is designed to work specifically with our Giclee coater. It is available in a clear or matte finish that is perfect for use in the fine art market.

Item#	Finish	Size	List Price
62616	Clear Gloss	(2) 1 Gallon	\$324.00
62617	Matte	(2) 1 Gallon	\$324.00

UltraCoat® Interior

This coating offers the lowest reflective properties of any single component water-based coating on the market today! UltraCoat Interior is ideal for durable indoor wall covering applications requiring the look of an ultra-matte surface.

Item#	Finish	Size	List Price
62622	Ultra Matte	5 Gallon	\$625.00
62623	Ultra Matte	55 Gallon	\$4,331.00

UltraCoat® Sign & Banner

This quick drying and cost effective coating is ideal for manual or machine application and is available in a gloss or matte finish.

Item#	Finish	Size	List Price
62611	Gloss	5 Gallon	\$310.00
62612	Gloss	55 Gallon	\$2,447.00
62613	Matte	5 Gallon	\$310.00
62614	Matte	55 Gallon	\$2,447.00

Liquid Coatings - UV

AccuCure™ Elite UV Fleet Gloss

The Elite UV Fleet Gloss liquid coating is an ultraviolet curable liquid that was specifically engineered for use with the Neschen AccuCure UV liquid laminating machines. For use with vinyl, it has a quick-cure, low-odor formulation with an ideal viscosity that delivers a smooth finish every time - perfect for long-lasting fleet graphics.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1 - 5	Qty 2 - 4	Qty 5 +
5004516	Gloss	(2) 2.5 Gallon	\$752.00	\$676.80	\$615.27

AccuCure™ Elite UV Fleet Luster

The Elite UV Fleet Luster liquid coating is an ultraviolet curable liquid that was specifically engineered for use with the Neschen AccuCure UV liquid laminating machines. For use with vinyl, it has a quick-cure, low-odor formulation with an ideal viscosity that delivers a smooth finish every time - perfect for long-lasting fleet graphics.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1 - 5	Qty 2 - 4	Qty 5 +
5004512	Luster	(2) 2.5 Gallon	\$763.00	\$686.70	\$624.27

AccuCure™ Elite UV Gloss

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It Cures quickly and is immediately ready for display. Use Elite Gloss with boards and rigid substrates for superior scuff and abrasion resistance. It can also be used for most vinyl applications that do not have complex curves and bends.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1 - 5	Qty 2 - 4	Qty 5 +
5004521	Gloss	(2) 2.5 Gallon	\$830.00	\$747.00	\$679.08

AccuCure™ Elite UV Satin Matte

This highly protective hard coat, ultraviolet-curable coating liquid is specifically formulated for use with the Neschen AccuCure UV liquid lamination machines. It Cures quickly and is immediately ready for display. Use Elite Satin Matte with boards and rigid substrates for superior scuff and abrasion resistance. It can also be used for most vinyl applications that do not have complex curves and bends.

Item#	Finish	Size	5 Gallons	10-20 Gallons	25 Gallons +
			Qty 1 - 5	Qty 2 - 4	Qty 5 +
5004523	Satin Matte	(2) 2.5 Gallon	\$831.00	\$747.90	\$679.90

PrimeX Banner Stands and Display Systems

Roll Up ECON or Roll Up BASIC

Need to get your graphics installed quickly? It takes about 3 minutes to completely set up the Roll Up ECON or Roll Up BASIC! Both model include carrying cases for easy transport. The Roll Up ECON is ideal for short term special events. The slim silver aluminum bars make it a lightweight system. Single side only. The Roll Up BASIC is more durable and suited for long-term events or repeated use. Single side only.

Item#		Visual Size		List Price
		Width	Height	
4001135	Roll UP ECON	33.5"	78.7"	\$ 38.00
4001138	Roll UP BASIC	39.4"	84.6"	\$ 104.00



SEAL Brand Products

The following is a list of SEAL Brand products that have been approved for Neschen resellers to purchase. For more detailed information on these products please visit www.sealbrands.com.

ProSEAL Laminator, Pouches & Pouch Boards

ProSEAL

The ProSEAL laminating system offers a low-cost, one-step method of mounting and laminating digital images. Designed for use with ProSEAL Laminating and Mounting Pouch Boards, Flexible Laminating Pouches, Mounting Boards and Mounting Pouches to create rigid or flexible graphics.

Item#	Electrical	List Price
63071	ProSEAL 44 - 115VAC, 60Hz, 12 Amps, 1 Phase, NEMA 5-15P	\$ 2,495.00

ProSEAL Pouch Boards

Designed to create indoor signs, displays or presentation materials quickly, easily and with minimal waste. Pouch boards produce rigid displays with optimum image enhancement and protection. Each pouch board is manufactured with a rigid, heat-activated adhesive-coated 3/16" foam board with an over-laminate attached by a 1/4" adhesive strip across the short edge. 10 Pouch Boards per box.

Item#	Finish	Size	List Price
62305	Gloss / White	25" x 37" (635mm x 940mm)	\$ 161.00
62306	Gloss / White	37" x 49" (940mm x 1245mm)	\$ 322.00
62307	Gloss / White	41" x 61" (1025mm x 1525mm)	\$ 415.00
62310	Deep Crystal / White	25" x 37" (635mm x 940mm)	\$ 187.00
62311	Deep Crystal / White	37" x 49" (940mm x 1245mm)	\$ 362.00
62312	Deep Crystal / White	41" x 61" (1025mm x 1525mm)	\$ 482.00
62320	Gloss / Black	25" x 37" (635mm x 940mm)	\$ 181.00
62321	Gloss / Black	37" x 49" (940mm x 1245mm)	\$ 355.00
62322	Gloss / Black	41" x 61" (1025mm x 1525mm)	\$ 497.00
62325	Deep Crystal / Black	25" x 37" (635mm x 940mm)	\$ 208.00
62326	Deep Crystal / Black	37" x 49" (940mm x 1245mm)	\$ 395.00
62302	Sample Box	(4) 8 1/2" x 11" 2 gloss, 2 matte	\$ 21.00

ProSEAL Mounting Boards

Provides an economical mounting solution for a wide range of media where no protective laminate is required. Excellent for indoor display and presentation materials, each mount board consists of a rigid, heat-activated adhesive-coated 3/16" foam board. 10 Mounting Boards per box.

Item#	Finish	Size	List Price
62340	White	25" x 37" (635mm x 940mm)	\$ 120.00
62341	White	37" x 49" (940mm x 1245mm)	\$ 235.00
62342	White	41" x 61" (1025mm x 1525mm)	\$ 302.00
62345	Black	25" x 37" (635mm x 940mm)	\$ 142.00
62346	Black	37" x 49" (940mm x 1245mm)	\$ 262.00
62347	Black	41" x 61" (1025mm x 1525mm)	\$ 355.00

ProSEAL Clear Pouches

Designed to create indoor signs, displays or presentation materials where flexibility is a necessity. Pouches consist of 5mil gloss polyester laminate top and bottom. Packs include 25 pouches plus one sled for processing.

Item#	Size	List Price
60659	18.5" x 24.5" (470mm x 622mm)	\$ 133.00
60666	25" x 37" (635mm x 940mm)	\$ 253.00
60679	37" x 49" (940mm x 1245mm)	\$ 501.00

US Domestic Training Fee Schedule and Service Rate

Equipment Training Fees

AccuCoat 1600	\$ 1,500.00
AccuCoat 3300	\$ 2,500.00
AccuCure 60UV, 72XUV, 80UV	\$ 2,500.00

- Training is not included in the purchase price of our machines.
- Training includes but is not limited to instruction on the proper set-up of the laminator, its safety features and their operation, machine controls and their use, application training, cleaning and maintenance.
- Training does not include unloading, uncrating, or installation of laminator. The machine should already be installed with electrical service checked and live into the machine.
- The owner is responsible for providing all images, substrates, and additional laminates that are not provided with our training fee.
- The training appointment is made 7 - 14 business days after the customer takes delivery of the machine.
- Training is scheduled according to availability of training personnel, site location, the cost and availability of transportation to and from customer site and lodging.
- For expedited training, additional costs may be incurred due to travel availability.
- Fee schedule applies to the US 48 contiguous states only. Call Neschen Americas Technical Service department for quote on trainings outside of the US 48 contiguous states.
- Training fees for Out of Production machines will be billed at our Hourly Service Rates and will include a call charge and all travel expenses if needed.

Hourly Service Rates

Call Charge - includes first hour of ground travel	\$ 250.00
Labor rate per half hour	\$ 75.00
Travel rate per hour of driving	\$ 75.00

- Labor and travel rates apply Monday through Friday, 8:30 AM to 5:00 PM excluding holidays.
- Charges for service include the total time engaged in work and/or awaiting access to subject machine.
- Charges for travel include the total time traveling to and from the machine location.
- Labor and travel time is rounded up to the nearest half-hour.
- Travel expenses will be added on Non-Warranty field service calls.

Prices are in US currency.
Prices are subject to change.
Prices are effective as of 04/02/09.

Consumables Special Cut Policy

- Assorted items within our product range are available in custom cut sizes. Pricing schedule is as listed. For up to 14 original rolls to be slit: \$50.00 set-up fee + \$10.00 slitting fee per roll (up to three cuts allowed per roll). Occasionally special cut rolls will contain a splice.
- For quantities of 15 rolls and greater: All set-up and slitting fees are waived.
 - You pay for full roll width even if the full roll is not used
 - Lead time is 5-10 business days
 - Roll quantities calculated based on original roll (i.e. 51" roll slit into two 25" rolls equals one roll)

Example 1

Order a 51" roll and have it cut into two 25" rolls the cost would be \$50.00 (for set-up) + \$10.00 (for slitting) = \$60.00 (i.e. 51" roll slit into two 25" rolls equals one roll)

Example 2

Order 2 rolls to be cut into 4 rolls the cost would be \$50.00 (for set-up) + \$20.00 (for slitting) = \$70.00

Textiles & PVC Special Cut Policy

Textiles & PVC's: First cut is no charge. All subsequent cuts are \$10 each.

Neschen Americas Terms and Conditions of Sale



Freight Minimums

Laminates			
Adhesives			
Inkjet Media			
Pouch Board		Orders Exceeding \$4,000 - FREE Freight	Orders
Textiles and Flex Face PVC (54" - 71")		from \$2,000 to \$3,999.99 - 2% Surcharge on the Value of the Order less than \$2,000 - Full Freight Charged on the Value of the Order	Orders
PrimeX			
Liquid Laminates			
Equipment		FOB Sun Prairie, WI and/or Los Angeles, CA	
Textiles and Flex Face PVC (80" and greater)		FOB Elkridge, MD and/or Los Angeles, CA	
Expolinc		All orders are PPA (prepay and add)	
Backorders		All products - Partial shipments allowed.	
Spliced Rolls		All products - Splices are allowed on all laminates and adhesives. Laminates and adhesives have an extra 9' of material on them to compensate for the splice.	
Special Cuts		Laminates & Adhesives: Rolls 1-14: \$50 set up plus \$10 per cut; 15+ rolls: No charge. & PVC's: First cut is no charge. All subsequent cuts are \$10 each.	Textiles
Restock Fee		All products - 20%	
Payment Terms		All products - 1% 20, Net 30	

Minimum annual volume to maintain an open commercial account is \$1500.00.

Prompt payment or freight allowance discounts do not apply to commercial mounting and laminating equipment.

Neschen reserves the right to make a claim to a 3rd party consumer for any uncollected amount not paid by the reseller.

All handling and processing of Neschen goods by a reseller shall always retain the Neschen and/or SEAL product name on all orders. If the reseller ships an order with other products belonging to different suppliers, Neschen shall retain co-ownership at a ratio of the invoice value of the Neschen/SEAL product to the total invoiced value of the shipment.

Neschen reserves the right of ownership in all goods until complete and final payment is made on the purchase price. Accordingly, you have granted us a security interest in all such goods under the Uniform Commercial Code.

Equipment Warranty: One Year Parts / Six Months Labor Limited Warranty*

Neschen Americas warrants to the original consumer purchaser that each new SEAL or Neschen brand equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 6 months for labor and 6 months for rollers (rollers warranted against manufacturers defects) and applies only in respect to the uses for which the product was intended by Neschen Americas. *Original consumer purchaser" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty, excluding rollers. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item.

Neschen Americas shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any SEAL or Neschen brand product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance, which shall be determined by Neschen Americas in its sole discretion.

NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SEAL OR NESCHEN BRAND EQUIPMENT PRODUCT SOLD HEREUNDER.

Neschen Americas Terms and Conditions of Sale

Neschen Americas warrants to the original consumer purchaser that each new ProSEAL equipment product which proves defective in materials or workmanship within the applicable warranty period will be repaired or, at our option, replaced without charge upon its return, postpaid, as outlined below. The applicable warranty shall be one year from date of purchase for parts, 3 months for rollers (rollers warranted against manufactures defects). "Original consumer purchase" means the person who first purchased the product covered by this warranty other than for purpose of resale. Refurbished equipment carries a 90-day parts and labor limited warranty, excluding rollers. Neschen Americas' liability for breach of any warranty, expressed or implied, shall be limited to the repair or replacement at Neschen Americas' option of the defective item.

Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any ProSEAL product. Any implied warranty shall be limited in duration to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

Neschen Americas is not responsible for damages from mishandling and abuse in transit, in which case a claim should be filed with the carrier. This warranty does not cover any defect or malfunction due to or caused by unreasonable use or abuse, or failure to provide reasonable and necessary maintenance, which shall be determined by Neschen Americas in its sole discretion.

NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PROSEAL EQUIPMENT PRODUCT SOLD HEREUNDER.

Equipment Repair: A product out of warranty in need of repair will be repaired in accordance with the approval repair system. Replacement parts carry a 90 day warranty. Contact Technical Support at 1-800-486-6502 for more information.

Spare Parts Support for Discontinued Machines:

Neschen Americas will provide spare parts support for our SEAL brand roller laminators and Neschen brand liquid coaters for a period of five (5) years after the last machine is manufactured and shipped from our manufacturing location. Spare parts can be ordered through our Technical Service Department at 1800-486-6502 press # 1. After the 5 year period, parts may still be available; however availability is not guaranteed.

Consumables Warranty: Neschen Americas warrants to the original consumer purchaser that each new consumable product will perform materially up to published specification. Any products that are obsolete or are over one year old from the date of the dealer's invoice are not eligible for return or credit. Neschen Americas and its officers, directors, shareholders, principals, agents, representatives and affiliates shall not be liable for damages, including but not limited to incidental, consequential, indirect, punitive or special damages, arising out of or in connection with the use or performance of any consumable product. Some states do not allow limitations on the exclusion or limitation of incidental or consequential damages, so the above limitation & exclusion may not apply to you.

NESCHEN AMERICAS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE CONSUMABLE PRODUCT SOLD HEREUNDER.

100% Customer Satisfaction Guarantee Policy

In order to better serve our customers, we have established the following guidelines to facilitate the administration of our 100% Customer Satisfaction Guarantee for Consumables, Inkjet Media, Textiles and Liquids. All of the information needed for smooth RMA and credit transactions is detailed in this document.

Please note: products can be no more than one year beyond their production date (as indicated by their lot code which is designated on the roll of material) to be eligible for return within the guidelines stated below.

Remember that an RMA number must still be issued by our Customer Service department for any product being returned to Neschen Americas.

Satisfaction Guaranteed Return Types

Quality Defects

a. Maximum of two rolls of material with a value of \$2,500 or less

A credit will be issued to the customer within 48 hours of our receipt of a sample of the defective material.

b. Three or more rolls of material or an order value of greater than \$2,500

We will provide the customer with a course of action based on the following two scenarios within 48 hours of our receipt of the defective sample.

1. Destroy in field – Customer will be asked to dispose of the defective material and a credit will be processed at the time of communication.
2. Rolls to be returned – This occurs when the entire lot of rolls needs to be returned to Neschen Americas for an evaluation of the defect. A credit will be issued to the customer within 48 hours of our receipt of the rolls.

Stock Rotation

a. Reseller Stock Rotation

A credit will be issued to the reseller within five business days of our receipt of the returned product. The product must fall within the detailed stock rotation guidelines noted below:

1. Stock rotations must be made within six months of the original purchase from Neschen Americas (a maximum of two stock rotations per year).
2. We ask that the reseller provide the lot codes for each roll being considered for stock rotation. These lot codes will be used to determine the roll's production date, which must be within one calendar year of the requested return. Any rolls produced outside of this one year time frame will not be considered for a stock rotation credit. Customer Service will communicate any discrepancies to the appropriate Neschen Americas Sales Representative, and Sales will communicate them to the Reseller.
3. A 20% restock fee will be applied to all stock rotation returns. A reseller placing an offsetting purchase order of equal or greater value than the stock rotation request will be exempt from this restock fee. The offsetting order must be placed at the same time the rotation request is made to qualify for exemption from the 20% restock fee.
4. The reseller requesting the stock rotation will be responsible for the returned product's freight costs. If products being returned as part of a stock rotation arrive at Neschen Americas with freight damage they will be refused at our dock upon attempted delivery.
5. A \$15.00 re-box fee will be applied to all rolls requiring repackaging for resale. We will notify the reseller within 48 hours of our receipt of the returned product of the total re-box fees that will be applied to their stock rotation credit.
6. Only SEAL or Neschen brand products will be considered for stock rotation returns. Equipment, Eco Board, private label items, special orders products, container orders, specialty products, special cuts, discontinued and obsolete items are not eligible for stock rotation returns. Please refer to the Neschen Americas Terms and Conditions of Sale page of your price book for information on our Equipment Warranty.
7. We will only issue credit for product that can be restocked and resold.

Freight Damage

a. Product value not exceeding \$2,500

1. We will ask the customer to provide us with digital photographs of the damage and we will issue a credit within 48 hours of our receipt of the pictures.

b. Product value exceeding \$2,500 and the product is received by the customer

1. We ask that the customer provide us with digital pictures of the damage and we will issue a credit within 48 hours of our receipt of the pictures.
2. The Neschen Americas Shipping Department will contact the appropriate carrier to set up a freight claim inspection.

c. Product value exceeding \$2,500 and the product is refused by the customer

1. The customer will be asked to provide a fax copy of the packing list refusal and a credit will be issued within 48 hours of our receipt of the fax.
2. Our Shipping Department will contact the appropriate carrier to set up a freight claim and arrange to have the damaged materials returned to Neschen Americas.
3. We will process a replacement order at the time of the customer's initial notification of the freight damaged order.

* Excludes ProSEAL Laminators

Please contact your Sales or Customer Service Representative if you have any questions about this policy.

Neschen Americas Technical Service Department (800) 486-6502

Neschen Americas Customer Service Department (800) 257-7325

Neschen Americas Customer Service Department Fax (800) 966-4554

www.neschenbrands.com

All prices in US Dollars. Errors and omissions excluded.

All terms, conditions, prices and the Customer Satisfaction Guarantee are subject to change without notice.

Neschen Americas

7091 Troy Hill Drive

Elkridge, MD 21075

Tel: (410) 540-8900

Fax: (410) 579-8960